



TOMCAT®

SWEEPERS GT Walkie / VR Rider




**MADE IN
USA**

SCRUBBERS SWEEPERS BURNISHERS FLOOR MACHINES



KEY FEATURES APPLICATIONS



Baghouse Filter and Beater Bar provides unmatched particulate collection. Sweepers can pick up whole bags of cement at a time. In most cases the filter will last the lifetime of the machine.



Maintenance is a snap. There's no oil to change, brooms to reverse, fuel to spill, tanks to exchange, valves to grind. Just put the machine on charge after every shift.



All steel construction built to last even in the toughest applications. Able to withstand years of abuse.



Time is money and none gets wasted with our sweepers. Monthly labor savings reach thousands of dollars when you sweep with our GT or VR.




High Performance motors provides an unmatched standard of cleaning.



0 point turns for no nonsense mobility. This gives the control and accuracy needed for commercial cleaning without missing a spot.



- Carpet Flooring
- Running Tracks
- Artificial Turf
- Tennis Courts
- Sports Stadiums
- Airports



EASE OF ACCESS



- 1 Oversized Batteries
- 2 Baghouse Filter
- 3 Self Adjusting Main Broom
- 4 Broom Controls

HOPPER

Dustless sweeping combined with our hopper creates an unmatched sweeping experience. Easily pick up bags of cement in a single pass.



VIEW INSIDE



CALL FOR A DEMONSTRATION



Since 1986, our family owned company has been designing, building and supporting the best in floor maintenance equipment. Our **TOMCAT** brand services the world with unsurpassed commercial cleaning equipment, continually exceeding expectations and setting the industry bar that much higher.

We've built our reputation by providing the highest value machines and providing local support via 425 distributors in over 42 different countries.

AUTHORIZED DISTRIBUTOR

☎ **800-450-9824**
 🌐 **(+001)-262-681-6470**
 🌐 **www.tomcatequip.com**

MODEL	WALK BEHIND GT	RIDER VR
Chassis Construction:	1/8" (3 mm) Powder Coated Steel <i>(15 x 5 cm) - Non-Marking Solid Grey</i>	3/16" (5 mm) Powder Coated Steel <i>(25 x 8 cm) - Solid Black</i>
Rear Wheels (Diameter x Width):	(2x) 10" x 2" <i>([2x] 25 x 5 cm) - Non-Marking Grey</i> <i>(147 x 79 x 96 cm)</i>	(2x) 14" x 5" <i>([2x] 36 x 13 cm) - Solid Black</i> <i>(163 x 94 x 140 cm)</i>
Weight (w/o Batteries):	295 - 345 lbs <i>(134 - 156 kg)</i> <i>(193 - 215 kg)</i>	825 - 875 lbs <i>(374 - 397 kg)</i> <i>(506 - 528 kg)</i>
Sweeping Method:	Direct Throw <i>(25 - 66 cm)</i>	Direct Throw <i>(25 x 81 cm)</i>
Broom Power / Speed:	1.0 hp / 400 rpm <i>(746 watts)</i> <i>(43 cm)</i>	1.0 hp / 435 rpm <i>(746 watts)</i> <i>([2x] 43 cm)</i>
Side Broom Power / Speed:	0.3 hp / 65 rpm <i>(224 watts)</i> <i>(56 liters)</i>	(2x) 0.3 hp / 100 rpm <i>(224 watts)</i> <i>(116 liters)</i>
System Voltage:	12 VDC	24 VDC
Optional Battery:	215 ah AGM	325 ah WET / 420 ah WET / 250 ah AGM / 390 ah AGM
Charger:	120 VAC / 60 Hz Input - 12 VDC / 25 amp Output	120VAC / 60 Hz Input - 24 VDC / 37A Output
Power:	1.0 hp - All Gear / Sealed <i>(746 watts)</i>	2.0 hp - All Gear / Sealed <i>(1491 watts)</i>
Speed Control:	0 - 237.6 ft/min / 0 - 2.7 mph <i>(0 - 72.4 m/min / 0 - 4.3 km/h)</i>	0 - 308 ft/min / 0 - 3.5 mph <i>(0 - 93.9 m/min / 0 - 5.6 km/h)</i>
Filtering Material:	Polymer Felt/Baghouse	Polymer Felt/Baghouse
Filter Rating:	1 Micron	1 Micron
Size:	5,192 sq. inches <i>(3.35 sqm)</i>	5,192 sq. inches <i>(3.35 sqm)</i>
Vacuum Specs (Airflow):	250 cfm	280 cfm
Cleaning Width:	34" <i>(86 cm)</i> 61 dBA***	46" <i>(117 cm)</i> 65 dB***
Productivity - Theoretical:	Up to 21,316 sqft <i>(1,980 sqm)****</i> <i>(1,639 sqm)</i>	Up to 75,000 sqft <i>(6,968 sqm)****</i> <i>(5,519 sqm)</i>

***Decibel levels per ISO 11201 as recommended by the American Association of Cleaning Equipment Manufacturers & OSHA

****Productivity is based off of ISSA 2010 Cleaning Times



Manufactured By:
 R.P.S. Corporation
 1711 South Street
 Racine, Wisconsin 53404 (USA)
 Phone: (800) 450-9824
 International: (+001) 262-681-6470
 www.tomcatequip.com